



TL High Pressure Range


Straight TL Male Insert

Part No.	T/L Size	Hose Size	Max. WP		Description
			Bar	PSI	
U10HTLM04	10mm	1/4	400	5800	 Straight TL Male Insert
U12HTLM06	12mm	3/8	330	4785	
U15HTLM08	15mm	1/2	275	3990	
U18HTLM10	18mm	5/8	250	3625	
U22HTLM12	22mm	3/4	215	3130	
U28HTLM16	28mm	1"	165	2395	


45 TL Male Swept Elbow

Part No.	T/L Size	Hose Size	Max. WP		Description
			Bar	PSI	
U10HTLM45S04	10mm	1/4	400	5800	 45° Swept Elbow TL Male Insert
U12HTLM45S06	12mm	3/8	330	4785	
U15HTLM45S08	15mm	1/2	275	3990	
U18HTLM45S10	18mm	5/8	250	3625	
U22HTLM45S12	22mm	3/4	215	3130	
U28HTLM45S16	28mm	1"	165	2395	


90 TL Male Swept Elbow

Part No.	T/L Size	Hose Size	Max. WP		Description
			Bar	PSI	
U10HTLM90S04	10mm	1/4	400	5800	 90° Swept Elbow TL Male Insert
U12HTLM90S06	12mm	3/8	330	4785	
U15HTLM90S08	15mm	1/2	275	3990	
U18HTLM90S10	18mm	5/8	250	3625	
U22HTLM90S12	22mm	3/4	215	3130	
U28HTLM90S16	28mm	1"	165	2395	


90 TL Male Compact Elbow

Part No.	T/L Size	Hose Size	Max. WP		Description
			Bar	PSI	
U10HTLM90K04	10mm	1/4	400	5800	 90° Compact Elbow TL Male Insert
U12HTLM90K06	12mm	3/8	330	4785	
U15HTLM90K08	15mm	1/2	275	3990	
U18HTLM90K10	18mm	5/8	250	3625	
U22HTLM90K12	22mm	3/4	215	3130	
U28HTLM90K16	28mm	1"	165	2395	


BSP Male/TL Female Adaptor

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
A04BMW10HTLF	1/4	10mm	400	5800	 Straight BSP Male/TL Female Adaptor
A06BMW12HTLF	3/8	12mm	330	4785	
A08BMW15HTLF	1/2	15mm	275	3990	
A10BMW18HTLF	5/8	18mm	250	3625	
A12BMW22HTLF	3/4	22mm	215	3130	
A16BMW28HTLF	1"	28mm	165	2395	


SAE Male/TL Female Adaptor

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
A04SMRH10HTLF	7/16	10mm	400	5800	 Straight SAE Male/TL Female Adaptor
A06SMRH12HTLF	9/16	12mm	330	4785	
A08SMRH15HTLF	3/4	15mm	275	3990	
A10SMRH18HTLF	7/8	18mm	250	3625	
A12SMRH22HTLF	1.1/16	22mm	215	3130	
A16SMRH28HTLF	1.5/16	28mm	165	2395	


Metric Male/TL Female Adaptor (ISO 6149)

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
A12MMR10HTLF	12mm	10mm	400	5800	 Straight Metric Male/TL Female Adaptor
A16MMR12HTLF	16mm	12mm	330	4785	
A18MMR15HTLF	18mm	15mm	275	3990	
A22MMR18HTLF	22mm	18mm	250	3625	
A27MMR22HTLF	27mm	22mm	215	3130	
A33MMR28HTLF	33mm	28mm	165	2395	


TL Female Braze Stud - Metric tube

Part No.	Tube size	T/L Size	Max. WP		Description
			Bar	PSI	
A08MOD10HTLF	8mm	10mm	400	5800	 For silver brazing to ISO8434. Suitable for copper brazing subject to crimping to size
A12MOD12HTLF	12mm	12mm	330	4785	
A15MOD15HTLF	15mm	15mm	275	3990	
A18MOD18HTLF	18mm	18mm	250	3625	
A22MOD22HTLF	22mm	22mm	215	3130	
A25MOD28HTLF	22mm	28mm	165	2395	


TL Female Braze Stud - Imperial tube

Part No.	Tube size	T/L Size	Max. WP		Description
			Bar	PSI	
A04OD08HTLF	1/4"	10mm	400	5800	 For silver brazing to ISO8434. Suitable for copper brazing subject to crimping to size
A06OD12HTLF	3/8"	12mm	330	4785	
A08OD15HTLF	1/2"	15mm	275	3990	
A10OD18HTLF	5/8"	18mm	250	3625	
A12OD22HTLF	3/4"	22mm	215	3130	
A16OD28HTLF	1"	28mm	165	2395	


TL Male Plug

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
A10HTLM	10mm		400	5800	 Straight TL Male Plug
A12HTLM	12mm		330	4785	
A15HTLM	15mm		275	3990	
A18HTLM	18mm		250	3625	
A22HTLM	22mm		215	3130	
A28HTLM	28mm		165	2395	


TL Locking Cap Assembly

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
HTL10CA	10mm		400	5800	 TL Locking cap complete with dust seals
HTL12CA	12mm		330	4785	
HTL15CA	15mm		275	3990	
HTL18CA	18mm		250	3625	
HTL22CA	22mm		215	3130	
HTL28CA	28mm		165	2395	


TL Sure-Fit

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
HTL10SFC	10mm		400	5800	 TL Surefit locking clip
HTL12SFC	12mm		330	4785	
HTL15SFC	15mm		275	3990	
HTL18SFC	18mm		250	3625	
HTL22SFC	22mm		215	3130	
HTL28SFC	28mm		165	2395	

TL Snap Cap Assembly Tool

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
HTLSC10	10mm		400	5800	 TL Snap Cap Assembly Tool fit or replacement of segment assembly to female cavity
HTLSC12	12mm		330	4785	
HTLSC15	15mm		275	3990	
HTLSC18	18mm		250	3625	
HTLSC22	22mm		215	3130	
HTLSC28	28mm		165	2395	

TL Seal Kit

Part No.	Size	Size	Max. WP		Description
			Bar	PSI	
HTLSK10	10mm		400	5800	 TL Seal Kit
HTLSK12	12mm		330	4785	
HTLSK15	15mm		275	3990	
HTLSK18	18mm		250	3625	
HTLSK22	22mm		215	3130	
HTLSK28	28mm		165	2395	